



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/006,627	01/13/1998	NICOLA GAIL WALLIS	GM10127	3981

25308 7590 03/27/2002

DECHERT
ATTN: ALLEN BLOOM, ESQ
4000 BELL ATLANTIC TOWER
1717 ARCH STREET
PHILADELPHIA, PA 19103

EXAMINER

MONSHIPOURI, MARYAM.

ART UNIT	PAPER NUMBER
----------	--------------

1652

DATE MAILED: 03/27/2002

11

Please find below and/or attached an Office communication concerning this application or proceeding.

The request for deferral/suspension of action under 37 CFR 1.103 has been approved.



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office
COMMISSIONER OF PATENTS AND
TRADEMARKS
Washington, D.C. 20231

DEA/FCE-1994

SERIAL NUMBER	FILING DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NO.

EXAMINER	
ART UNIT	PAPER NUMBER

DATE MAILED:

Please find below a communication from the **EXAMINER** in charge of this application


All claims are allowable. However, as mentioned previously (Paper #8), due to potential interference, ex parte prosecution is suspended.

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Maryam Monshipouri, Ph.D. whose telephone number is (703) 308-1083. The Examiner can normally be reached daily from 8:00 A.M. to 4:30 P.M.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Dr.P. Achutamurthy, can be reached at (703) 308-3804. The OFFICIAL fax phone number for Technology Center 1600 is (703) 308-4242.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Technology Center 1600 receptionist whose telephone number is (703) 308-0196.

Maryam Monshipouri Ph.D.
Patent Examiner


PONNATHAPACHUTUR MURTHY
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1600